



Sunspot Index and Long-term Solar Observations


World Data Center supported by the ICSU - WDS

SUNSPOT BULLETIN 2018 n° 7

Provisional international and normalized hemispheric daily sunspot numbers for July 2018

Computed at the *Royal Observatory of Belgium* using observations from an international network with the *Specola Solare Ticinese Locarno* as reference station.

| Date | S_n | $S_n(N)$ | $S_n(S)$ |
|----------------------|-------|----------|----------|
| 1 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 |
| 5 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 |
| 8 | 0 | 0 | 0 |
| 9 | 0 | 0 | 0 |
| 10 | 0 | 0 | 0 |
| 11 | 0 | 0 | 0 |
| 12 | 0 | 0 | 0 |
| 13 | 13 | 13 | 0 |
| 14 | 13 | 13 | 0 |
| 15 | 12 | 12 | 0 |
| 16 | 0 | 0 | 0 |
| 17 | 0 | 0 | 0 |
| 18 | 0 | 0 | 0 |
| 19 | 0 | 0 | 0 |
| 20 | 0 | 0 | 0 |
| 21 | 12 | 12 | 0 |
| 22 | 0 | 0 | 0 |
| 23 | 0 | 0 | 0 |
| 24 | 0 | 0 | 0 |
| 25 | 0 | 0 | 0 |
| 26 | 0 | 0 | 0 |
| 27 | 0 | 0 | 0 |
| 28 | 0 | 0 | 0 |
| 29 | 0 | 0 | 0 |
| 30 | 0 | 0 | 0 |
| 31 | 0 | 0 | 0 |
| Monthly mean | 1.6 | 1.6 | 0.0 |
| Cooperating stations | 77 | 60 | 60 |



SILSO graphics (<http://sidc.be/silso>) Royal Observatory of Belgium 2018 August 1

Predictions of the monthly smoothed Sunspot Number
 using the last provisional value, calculated for January 2018: 14.3 ($\pm 5\%$)

| | SM | CM | | SM | CM | | SM | CM |
|----------|----|----|----------|----|----|----------|----|----|
| 2018 Feb | 11 | 14 | 2018 Aug | 2 | 7 | 2019 Feb | 0 | 4 |
| Mar | 9 | 13 | Sep | 1 | 6 | Mar | 0 | 5 |
| Apr | 9 | 9 | Oct | 0 | 6 | Apr | 0 | 7 |
| May | 8 | 9 | Nov | 0 | 5 | May | 0 | 9 |
| Jun | 6 | 8 | Dec | 0 | 5 | Jun | 0 | 11 |
| Jul | 4 | 7 | 2019 Jan | 0 | 4 | Jul | 0 | 13 |

SM : SIDC classical method : based on an interpolation of Waldmeier's standard curves. The estimated error ranges from 7% (first month) to 35% (last month)

CM : Combined method : the combined method is a regression technique coupling a dynamo-based estimator with Waldmeier's method of standard curves, designed by K. Denkmayr.

Ref.: K. Denkmayr, P. Cugnon, 1997 : "About Sunspot Number Medium-Term Predictions", in "Solar-Terrestrial Prediction Workshop V", eds. G.Heckman et al., Hiraiso Solar Terrestrial Research Center, Japan, 103.

Brussels, August 1, 2018 09:09 UT
 Reproduction permitted if source mentioned.

Editor: Frédéric Clette
 3, avenue Circulaire, B1180 Bruxelles, Belgium
 Fax: ../32/(0)2/374.98.22 Tel: ../32/(0)2/373.02.33 Email: silso.info@oma.be

Web: <http://sidc.oma.be/silso>
 FTP anonymous : omaftp.oma.be, directory: dist/astro/sidcdata

Summary of the URSIGRAMs from S.I.D.C.

| Date | S _n | PPSI | 600 | 2800 | COS | SFI | XI | Ak |
|------|----------------|------|-----|------|------|-----|-----|----|
| 30 | 0 | 0 | - | 69 | //// | 0 | 0/0 | 5 |
| 1 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 3 |
| 2 | 0 | 0 | - | 67 | //// | 0 | 0/0 | 3 |
| 3 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 5 |
| 4 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 6 |
| 5 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 29 |
| 6 | 0 | 0 | - | 71 | //// | 0 | 0/0 | 12 |
| 7 | 0 | 0 | - | 72 | //// | 0 | 0/0 | 8 |
| 8 | 0 | 0 | - | 72 | //// | 0 | 0/0 | 5 |
| 9 | 0 | 0 | - | 73 | //// | 0 | 0/0 | 3 |
| 10 | 0 | 0 | - | 73 | //// | 0 | 0/0 | 10 |
| 11 | 0 | 0 | - | 73 | //// | 0 | 0/0 | 12 |
| 12 | 0 | 0 | - | 72 | //// | 0 | 0/0 | 9 |
| 13 | 13 | 2 | - | 73 | //// | 0 | 0/0 | 8 |
| 14 | 13 | 5 | - | 72 | //// | 0 | 0/0 | 5 |
| 15 | 12 | 1 | - | 72 | //// | 0 | 0/0 | 5 |
| 16 | 0 | 0 | - | 72 | //// | 0 | 0/0 | 12 |
| 17 | 0 | 0 | - | 71 | //// | 0 | 0/0 | 8 |
| 18 | 0 | 0 | - | 71 | //// | 0 | 0/0 | 4 |
| 19 | 0 | 0 | - | 71 | //// | 0 | 0/0 | 6 |
| 20 | 0 | 0 | - | 71 | //// | 0 | 0/0 | 9 |
| 21 | 12 | 1 | - | 70 | //// | 0 | 0/0 | 14 |
| 22 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 7 |
| 23 | 0 | 0 | - | 67 | //// | 0 | 0/0 | 4 |
| 24 | 0 | 0 | - | 67 | //// | 0 | 0/0 | 21 |
| 25 | 0 | 0 | - | 66 | //// | 0 | 0/0 | 10 |
| 26 | 0 | 0 | - | 66 | //// | 0 | 0/0 | 5 |
| 27 | 0 | 0 | - | 67 | //// | 0 | 0/0 | 4 |
| 28 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 6 |
| 29 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 6 |
| 30 | 0 | 0 | - | 68 | //// | 0 | 0/0 | 7 |
| 31 | 0 | 0 | - | 69 | //// | 0 | 0/0 | 7 |

S_n : provisional international sunspot numbers from the S.I.D.C.

PPSI : prompt photometric sunspot index from the S.I.D.C. in 10^{-5} w/m^2 : the quantity to be subtracted from the mean solar constant to account for the sunspot contribution.

600 : 600 Mhz solar flux from the station at Humain (Belgium).

2800 : 2800 Mhz solar flux from Ottawa (origin : Ursigrams - UGEOI). The 10.7cm Flux data are a service of the National Research Council of Canada.

COS : thousands of the cosmic ray counts (origin : Ursigrams - UCOSE Terre Adélie).

SFI : Solar Flare Index from the S.I.D.C. (origin: Ursigrams - UGEOR, evaluation : $1 \times S_n + 10 \times \text{"1"} + 100 \times \text{">1"}$).

XI : X-flares index from the Ursigrams (M-flares/X-flares) (origin: Ursigrams - UGEOR, UGEOI).

Ak : geomagnetic index from Wingst, Germany (origin: Ursigrams).

SOLAR PHYSICS DEPARTMENT

UCCLE DAILY PROVISIONAL RELATIVE SUNSPOT NUMBERS FOR JULY 2018

| DATE | UT | NUMBER | | RELATIVE SUNSPOT NUMBERS | | | PPSI | QUAL | OBS |
|------|------|--------------|-------------|--------------------------|-------|-------|------|------|-----|
| | | OF GROUPS | OF SPOTS | TOTAL | NORTH | SOUTH | | | |
| 1 | 625 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | FC |
| 2 | 710 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | FC |
| 3 | 700 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | BB |
| 4 | 630 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | BB |
| 5 | 700 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | SB |
| 6 | 645 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | SB |
| 7 | 725 | 0 | 0 | 0 | 0 | 0 | 0.0 | 4 | OL |
| 8 | 715 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | SB |
| 9 | 620 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | BB |
| 11 | 754 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | OL |
| 12 | 815 | 0 | 0 | 0 | 0 | 0 | 0.0 | 4 | OL |
| 13 | 1000 | 1 | 4 | 14 | 14 | 0 | 1.5 | 3 | SB |
| 14 | 710 | 1 | 2 | 12 | 12 | 0 | 1.6 | 4 | SB |
| 15 | 808 | 1 | 3 | 13 | 13 | 0 | 0.4 | 4 | OL |
| 16 | 730 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | BB |
| 17 | 640 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | BB |
| 18 | 630 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | BB |
| 19 | 730 | 0 | 0 | 0 | 0 | 0 | 0.0 | 4 | SB |
| 20 | 750 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | OB |
| 21 | 1045 | 1 | 1 | 11 | 11 | 0 | 0.4 | 3 | OB |
| 22 | 815 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | OB |
| 23 | 645 | 0 | 0 | 0 | 0 | 0 | 0.0 | 4 | SB |
| 24 | 646 | 0 | 0 | 0 | 0 | 0 | 0.0 | 4 | SB |
| 25 | 625 | 0 | 0 | 0 | 0 | 0 | 0.0 | 4 | SB |
| 26 | 630 | 0 | 0 | 0 | 0 | 0 | 0.0 | 4 | SB |
| 27 | 630 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | SB |
| 28 | 930 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | SB |
| 29 | 630 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | SB |
| 30 | 630 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | SB |
| 31 | 730 | 0 | 0 | 0 | 0 | 0 | 0.0 | 3 | BB |

The relative mean sunspot number is 1.7.

NORMALISED UCCLE OBSERVATIONAL SUNSPOT NUMBERS $U'=K'U$ FOR JULY 2018

$$K' = 1.173 (*)$$

| | | | | | | | | | |
|---|---|----|-----|----|----|----|----|----|---|
| 1 | 0 | 7 | 0 | 13 | 16 | 19 | 0 | 25 | 0 |
| 2 | 0 | 8 | 0 | 14 | 14 | 20 | 0 | 26 | 0 |
| 3 | 0 | 9 | 0 | 15 | 15 | 21 | 13 | 27 | 0 |
| 4 | 0 | 10 | *** | 16 | 0 | 22 | 0 | 28 | 0 |
| 5 | 0 | 11 | 0 | 17 | 0 | 23 | 0 | 29 | 0 |
| 6 | 0 | 12 | 0 | 18 | 0 | 24 | 0 | 30 | 0 |
| | | | | | | | | 31 | 0 |

The normalised relative monthly mean sunspot number is 2.

(*) K' is the mean of the monthly K' for the last five years.

The Sun has been observed 30 days on 31 possible.